

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Flo-Kling Regular Bowl Cleaner

Product code : 362

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Bowl Cleaner

1.3. Details of the supplier of the safety data sheet

Chemco Products Company

19402 Susana Rd.

Rancho Dominguez, CA 90221 - USA T 800-266-2116 - F 310-631-7496

http://www.flo-kem.com

1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

 Skin Corr. 1C
 H314

 Eye Dam. 1
 H318

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms



GHS05

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary statements : Do not breathe vapors.

Wash hands and forearms thoroughly after handling.

Wear eye protection, face protection, protective clothing, protective gloves.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 $\label{thm:lemont} \textbf{IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present }$

and easy to do. Continue rinsing.

Immediately call a poison center or doctor/physician.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

2.3. Hazard not otherwise classified (HNOC)

No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

Product Code:362 EN (English US) Page 1 of 7

Safety Data Sheet

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	GHS US classification
hydrochloric acid 31.5%	(CAS-No.) 7647-01-0	20 - 25	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
amines, tallow alkyl, ethoxylated	(CAS-No.) 61791-26-2	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
amines, N-tallow alkyltrimethylenedi-, ethoxylated	(CAS-No.) 61790-85-0	0.1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after skin contact : Causes burns/corrosion of the skin. Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts violently with (strong) bases. Reacts with (some) halogen compounds.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.
Protective clothing.
Respiratory protection.

Emergency procedures : Evacuate unnecessary personnel.

Product Code:362 EN (English US) Page 2 of 7

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If

reacting: dilute toxic gas/vapor with water spray.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Neutralize small quantities of the liquid spill with lime, sodium bicarbonate, soda (sodium carbonate) or soda ash. Wash down leftovers with plenty of

water. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe vapors. Ensure good ventilation of

the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal

protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Strong bases. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrochloric acid 31.5% (7647-01-0)		
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	OSHA PEL (Ceiling) (mg/m³)	7 mg/m³
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear red
Odor : Mint

Odor threshold : No data available

pH : <1

Melting point : No data available Freezing point : No data available

Product Code:362 EN (English US) Page 3 of 7

Safety Data Sheet

Boiling point : > 212 °F

Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Explosion limits : No data available
Vapor pressure : No data available
Vapor density : No data available

Specific Gravity @ 77° F : 1.020 - 1.040
Solubility : Soluble in water
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : 350 - 600 cP

9.2. Other information

VOC content : < 35 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (strong) bases. Reacts with (some) halogen compounds.

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and bases. Contact with base liberates toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

STOT-single exposure

Strong bases. Oxidizers. Sulfide salts. Sulfites. May be corrosive to metals.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides. Thermal decomposition generates : Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity	Not classified	
amines, N-tallow alkyltrimethylenedi-, ethoxylated (61790-85-0)		
ATE US (oral)	500 mg/kg body weight	
amines, tallow alkyl, ethoxylated (61791-26-2)		
LD50 oral rat	500 mg/kg (Rat)	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
	pH: < 1	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: < 1	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
hydrochloric acid 31.5% (7647-01-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	

STOT-repeated exposure : Not classified

Product Code:362 EN (English US) Page 4 of 7

: Not classified

Safety Data Sheet

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Causes burns/corrosion of the skin. Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.

SECTION 12: Ecological information

12.1. Toxicity

hydrochloric acid 31.5% (7647-01-0)	
LC50 fish 1	282 mg/l (96 h; Gambusia affinis; Pure substance)
EC50 Daphnia 1	< 56 mg/l (72 h; Daphnia magna; Pure substance)
LC50 fish 2	862 mg/l (Leuciscus idus; Pure substance)

amines, tallow alkyl, ethoxylated (61791-26-2)	
LC50 fish 1	< 1 mg/l (96 h; Pisces)
EC50 Daphnia 1	< 1 mg/l (48 h; Daphnia magna)

12.2. Persistence and degradability

hydrochloric acid 31.5% (7647-01-0)	
Persistence and degradability	Not established.

amines, tallow alkyl, ethoxylated (61791-26-2)	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

hydrochloric acid 31.5% (7647-01-0)	
Log Pow	0.3
Bioaccumulative potential	Not established.

12.4. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : UN1760

Other information : Under 49 CFR 173.154(c) and (b)(2): This product may be shipped as ORM-D or Limited

Quantity if the inner packagings do not exceed 5 L (1.3 gallons) or 5.0 kg (11 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of

transportation is impracticable.

14.2. UN proper shipping name

Proper Shipping Name (DOT) : UN1760, Corrosive Liquids, N.O.S. (Hydrochloric Acid, Amines, Tallow Alkyl, Ethoxylated), 8,

PGIII

Hazard labels (DOT) : 8 - Corrosive



SECTION 15: Regulatory information

15.1. US Federal regulations

Product Code:362 EN (English US) Page **5** of **7**

Safety Data Sheet

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

hydrochloric acid 31.5%	CAS-No. 7647-01-0	20 - 25%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

hydrochloric acid 31.5%	CAS-No. 7647-01-0	20 - 25%

7		
hydrochloric acid 31.5% (7647-01-0)		
Subject to reporting requirements of United State	es SARA Section 313.	
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists):	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	
SARA Section 311/312 Hazard Classes	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation Health hazard - Acute toxicity (any route of exposure)	
SARA Section 313 - Emission Reporting	Only if it is an aerosol form (acid aerosols including mists, vapors, gas, fog, an dother airborne forms of any particle size)	
amines, N-tallow alkyltrimethylenedi-, ethoxyl	lated (61790-85-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.		
04040 (044/04011 101		

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard amines, tallow alkyl, ethoxylated (61791-26-2) Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory. SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

15.2. International regulations

CANADA

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Abbreviations Legend:

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Product Code:362 EN (English US) Page 6 of 7

Flo-Kling Regular Bowl Cleaner Safety Data Sheet

Revision date: 09/25/2020

Supersedes: 02/28/2020

Version: 1.2

Product Code:362 EN (English US) Page **7** of **7**